
CLT SAUNA MANUAL



CLT SAUNA

Important Information Before You Begin

Thank you for choosing our CLT Sauna! Before you start assembling your sauna, please read this page carefully. It contains important information regarding safety, warranty, and assembly guidelines.

Safety & Handling

- Work Carefully: Some sauna parts are heavy and may require two or more people for safe lifting and installation.
- Protect the Materials: Store all panels in a dry, flat area before assembly to prevent damage or warping.
- Use Proper Tools: Only use recommended tools and follow the instructions step-by-step to avoid mistakes or injuries.
- Personal Safety: Wear protective gloves and safety glasses when necessary.


Warranty Conditions


- Correct Assembly Required: The warranty applies only if the sauna is assembled according to the instructions provided.
- Avoid Modifications: Any unauthorized alterations or modifications may void the warranty.
- Damage During Assembly: The manufacturer is not responsible for damage caused by improper handling or incorrect assembly.

Before You Start

- Check that all parts and hardware are included before beginning.
- Read through the entire manual once before starting the assembly.
- Follow the recommended assembly order for the best results.


By proceeding with the assembly, you confirm that you have read and understood these instructions.








PARTS	Name	Length mm	Length inch	Width mm	Width inch	Thickness mm	Thickness inch	Qty.
·	DT	680	26.8	70	2.7	60	2.4	1
1	DB	680	26.8	40	1.6	60	2.4	1
	DS	1840	72.4	44	1.7	60	2.4	2
	BR	990	39	45	1.8	45	1.8	4
	BS	1765	69.5	45	1.8	45	1.8	1
	BSS	450	17.7	45	1.8	45	1.8	2
	DTL	552	21.7	70	2.7	18	0.7	1
	BBC	985	39	70	2.7	18	0.7	2
	FHT	1008	39.7	70	2.7	18	0.7	6
	TCF	1027	40.4	70	2.7	18	0.7	2
	SS	1360	53.5	70	2.7	18	0.7	2
	TST	1482	58.4	70	2.7	18	0.7	2
	TCS	1510	59.5	70	2.7	18	0.7	2
	CS	1930	76	70	2.7	18	0.7	10
	OSB	1970	77.6	205	8.1	10	0.4	1


FURNITURE	Name	Length mm	Length inch	Qty.
Screw	X1	50	2	90
Screw	X2	100	4	50
Screw	X3	80	3	42
Screw	X4	40	1,6	101
Screw	X5	25	1	18
























































BOTTOM VENTILATION OPENING



UPPER
VENTILATION
OPENING

CLT SAUNA

Congratulations on Your New Sauna!

Well done – your CLT Sauna is now ready to enjoy! We hope the assembly process went smoothly and that your new sauna will bring you years of relaxation and comfort.

Important Recommendations for Long-Term Care

To ensure your sauna stays in great condition for many years, we recommend the following:

- Protective Finishing Coat: Apply a high-quality weatherproof finish to the exterior wood surfaces to protect against moisture, sun, and temperature changes.
- Regular Maintenance: Check the condition of the wood and any protective coating at least once a year. Reapply the finish as needed.
- Ventilation: Keep the sauna well-ventilated after each use to prevent excess moisture buildup.
- Cleaning: Use mild, non-abrasive cleaners for the interior surfaces. Avoid harsh chemicals.

Enjoy Your Sauna

Thank you for choosing our CLT Sauna. We wish you many relaxing moments and memorable experiences!