

haljas


Dot

Product sheet



haljas.com

2025



Compact, simple, and functional – Dot is a straightforward take on the modern sauna. While most entry-level saunas are built in barrel shapes with curved walls and multiple joints, Dot takes a different approach. Its full cross-laminated timber construction provides solid structure, reliable insulation, and a clean, modern look. Thicker CLT panels mean fewer seams, better heat retention, and longer-lasting durability.

Designed for up to four people, Dot fits comfortably in both private and light commercial settings. The modular glass layout allows flexibility in balancing openness, light, and privacy.

Delivered as a flat-pack unit, Dot can be assembled by two people in just a few hours with basic tools. The unfinished wood invites personal finishing – natural, oiled, or painted – while compatibility with both wood-fired and electric heaters gives freedom of choice.

Dot is a practical, adaptable, and well-insulated alternative to the typical entry-level sauna – straightforward Nordic design built to last.

Dot



DIY Sauna Kit

3 225 € + VAT 24%

Extra options



LED lights inside

130 € + VAT 24%



Glass panels

Up to 4 glass panels can be added – two on the front and two on the side.


250 € + VAT 24% / panel



Electric heater

- Harvia Cilindro PC 70, 6.8kW
- Built in Control Unit
- Stones 80kg

422 € + VAT 24%



Wood-fired heater

- Harvia M3
- Harvia water heater, 22 l
- Harvia Chimney Set
- 40 kg Sauna stones

930 € + VAT 24%

Key Features

Full CLT (Cross-Laminated Timber) Construction

The sauna is built entirely from CLT panels, providing high structural integrity, excellent thermal performance, and a solid, modern appearance.

Capacity: Up to 4 People

Designed to comfortably seat four adults, ideal for private use or light commercial settings.

Modular Glass Panel Configuration

The layout can be adjusted to include more glass panels, depending on client preference or site-specific needs (e.g., privacy, views, sunlight).

Delivered as Flat-Pack

The unit is shipped in a flat-pack format for cost-efficient transport and easier handling on-site.

Heater Compatibility

Supports both wood-fired and electric heaters, depending on user preference and local requirements.

Unfinished Wood

The sauna is delivered with untreated interior surfaces, allowing for client-specific finishing (e.g., oiling, painting, or burning).

High Insulation Value


Due to the solid CLT walls, the sauna offers excellent heat retention, making it one of the best-insulated options in its price range.

Assembly Time: ~4 Hours


The sauna can typically be assembled by two people in approximately four hours using basic tools. Clear instructions are included.

Dimensions

External



Internal



Sauna Shell Material	CLT (Cross-laminated timber)
Sauna Bench Material	CLT (Cross-laminated timber)
Door material	Tempered glass 8mm, Door frame - Alder
Weight	650 kg
Wall Thickness	Wall 60 mm, Roof 73mm, Floor 60mm
Roofing	EPDM
Internal Dimensions (H x W x D), mm	1905 x 1830 x 1225
Internal Volume	4,428 m ³
External Dimensions (H x W x D), mm	2150 x 2015 x 1400
Flat Pack Dimensions (H x W x L), mm	1440 x 740 x 1990